

# Biological Primary Types in the Auckland Museum

## No. 2. Botanical.

By ROBERT COOPER, Botanist.

This paper is a list of the primary types\* of plants in the Cheeseman Herbarium, Auckland Museum, and most of the entries are the names of new species and varieties described by Cheeseman. The entries are as originally published, although many have since been relegated to synonymy. The layout of the paper is similar to that of Powell, 1941 (Rec. Auck. Inst. Mus. 2: 239-259), which listed zoological primary types up to that date. A supplement, No. 3, provided by Powell, follows this list.

Cheeseman (Man. N.Z. Fl. Pref. iii-x, 1906) acknowledged the loan of material from the collections of other New Zealand botanists. He rarely based a description upon a single specimen and frequently cited material in other collections. Consequently a number of the syntype series of species in this list are incomplete.

Cheeseman (*ibid*) also acknowledged the valuable assistance he had from C. B. Clarke (Cyperaceae), Hackel (Gramineae) and Kukenthal (*Carex* and *Uncinia*). He cited each of them as the author of a number of names, but it is clear from the acknowledgment, and from the correspondence preserved in the herbarium, that Cheeseman wrote the published descriptions himself, and was responsible for them. Consequently the specimens which he examined and cited, in the descriptions of new species and varieties, have been classed as primary type material.

Cheeseman noted the label of some herbarium sheets that the material was a "type specimen" of a species described by Colenso. As Colenso sent his best material to Kew, it is unlikely that the specimens in the Cheeseman Herbarium are primary types, and they have been excluded from the list.

In 1930 a number of "type specimens" of species described by Cockayne were presented to the herbarium by that author. As it is possible that he used the term in an ecological sense (see Cockayne in Trans. N.Z. Inst. 49: 66-79, 1917), the names of the species have been omitted from the list.

---

\* Holotypes, syntype series, and lectotypes are listed. The type terms used in this paper are those recommended and defined by Frizzell (Amer. Midl. Nat. XIV: (6) 637-668, 1933):—

*Holotype*: A single specimen (or fragment) upon which a species is based.

*Syntype*: Any specimen of the author's original material when no holotype was designated; or any of a series of specimens described as "cotypes" of equal rank.

*Lectotype*: A syntype chosen, subsequently to the original description, to take the place which in other cases a holotype occupies.

In recent years, workers in the herbarium have indicated lectotypes of some species by notes on the herbarium sheets, but few of these selections have been published in revisions. Details of the selected specimens have not been added to this list, and further lectotypes have not been chosen, as a comprehensive set of rules on the selection of types is being framed and may be available after the 1950 International Botanical Congress (see *Brittonia* 7: 12, 1949).

The lectotypes of *Brachycome thomsonii* T. Kirk, *B. thomsonii* var. *membranifolia* T. Kirk, *B. thomsonii* var. *dubia* T. Kirk, *B. polita* T. Kirk, and *B. linearis* D. Petrie, chosen by Davis (*Proc. Linn. Soc. N.S.W.* 74: 97-106, 1949) have not been included, as Dr. W. R. B. Oliver has informed me that the types of these species and varieties are in the Dominion Museum.

The type material of several species is missing from the collections, but the names of these species are listed as the material may be found.

#### ALGAE.

*Champia laingii* Lindauer in *Trans. Roy. Soc. N.Z.* 67: 411, 1938 (holotype missing).

#### PTERIDOPHYTA.

*Davallia tasmani* Field, *Ferns N.Z.* 75, 1890.

*Nephrodium leucorhachis* Cheesem. in *Linn. Soc. Bot. Trans.* 6: 309, 1903.

#### PHANEROGAMAE.

*Aciphylla congesta* Cheesem. in *Trans. N.Z. Inst.* 47: 44, 1915.

*Aciphylla indurata* Cheesem. in *Trans. N.Z. Inst.* 47: 40, 1915.

*Aciphylla monroi* Hook. f. var. *divisa* Cheesem. in *Trans. N.Z. Inst.* 47: 42, 1915.

*Aciphylla multisecta* Cheesem. in *Trans. N.Z. Inst.* 47: 43, 1915.

*Aciphylla similis* Cheesem. in *Trans. N.Z. Inst.* 47: 42, 1915.

*Aciphylla spedeni* Cheesem. in *Trans. N.Z. Inst.* 45: 93, 1913.

*Aciphylla tocnsonii* Cheesem. *Man. N.Z. Fl.* 1138, 1906.

*Agropyrum multiflorum* T. Kirk var. *longisetum* Hack. ex Cheesem. *Man. N.Z. Fl.* 922, 1906.

*Agrostis dyeri* Petrie var. *aristata* Hack. ex Cheesem. *Man. N.Z. Fl.* 865, 1906.

*Agrostis dyeri* Petrie var. *delicatior* Hack. ex Cheesem. *Man. N.Z. Fl.* 865, 1906.

*Agrostis muelleri* Benth. var. *paludosa* Hack. ex Cheesem. *Man. N.Z. Fl.* 864, 1906.

*Alectryon excelsum* D.C. var. *grandis* Cheesem. in *Trans. N.Z. Inst.* 24: 409, 1892.

*Alyxia elliptica* Cheesem. in *Linn. Soc. Bot. Trans.* 6: 287, 1903.

*Astelia nivicola* Cockayne ex Cheesem. *Man. N.Z. Fl. Ed. 2.* 319, 1925

*Atropis chathamica* Cheesem. in *Trans. N.Z. Inst.* 53: 423, 1921.

*Atropis stricta* Hack. var. *suborbicularis* Hack. ex Cheesem. *Man. N.Z. Fl.* 915, 1906.

*Bagnisia (Geomitra) hilli* Cheesem. in *Kew Bull.* 420, 1908.

*Boehmeria dealbata* Cheesem. in *Trans. N.Z. Inst.* 24: 410, 1892.

*Brachyglottis arborescens* Oliver in *Rec. Auck. Inst. Mus.* 3: 236, 1948.

*Caladenia carnea* R. Br. var. *bartlettii* Hatch in *Trans. Roy. Soc. N.Z.* 77: 402, 1949.

*Caladenia minor* Hook. f. var. *exigua* Cheesem. *Man. N.Z. Fl.* 688, 1906.

*Caltha obtusa* Cheesem. in *Trans. N.Z. Inst.* 33: 312, 1901.

*Cardamine latēsiliqua* Cheesem. in *Trans. N.Z. Inst.* 15: 298, 1883.

*Carex cinnamomea* Cheesem. in *Trans. N.Z. Inst.* 14: 301, 1882.

*Carex cirrhosa* Berggr. var. *lutescens* Kükenth. ex Cheesem. *Man. N.Z. Fl.* 825, 1906.

*Carex comans* Berggr. var. *stricta* Cheesem. in *Trans. N.Z. Inst.* 24: 415, 1892.

*Carex cryptocarpha* Cheesem. in *Trans. N.Z. Inst.* 16: 412, 1884.

*Carex devia* Cheesem. in *Trans. N.Z. Inst.* 15: 301, 1883.

*Carex dissita* Sol. ex Hook. f. var. *monticola* Kükenth. ex Cheesem. *Man. N.Z. Fl.* 831, 1906.

*Carex dissita* Sol. ex Hook. f. var. *ochrosaccus* C. B. Clarke ex Cheesem. *Man. N.Z. Fl.* 831, 1906.

*Carex inversa* R. Br. var. *radicata* Cheesem. in *Trans. N.Z. Inst.* 16: 425, 1884.

- Carex kirkii* Petrie var. *elatior* Kukenth. ex Cheesem. Man. N.Z. Fl. 811, 1906.  
*Carex kirkii* Petrie var. *membranacea* Kukenth. ex Cheesem. Man. N.Z. Fl. 811, 1906.  
*Carex petriei* Cheesem. in Trans. N.Z. Inst. 16: 413, 1884.  
*Carex plesioctachys* C. B. Clarke ex Cheesem. Man. N.Z. Fl. 829, 1906.  
*Carex semi-forsteri* C. B. Clarke ex Cheesem. Man. N.Z. Fl. 836, 1906.  
*Carex sinclairii* Boott. ex Cheesem. Man. N.Z. Fl. 820, 1906.  
*Carex ternaria* Forst. var. *gracilis* Cheesem. in Trans. N.Z. Inst. 16: 431, 1884.  
*Carex ternaria* Forst. var. *pallida* Cheesem. in Trans. N.Z. Inst. 16: 431, 1884.  
*Carex trachycarpa* Cheesem. in Trans. N.Z. Inst. 24: 413, 1892.  
*Carex unciifolia* Cheesem. in Trans. N.Z. Inst. 16: 412, 1884.  
*Casinia amoena* Cheesem. in Trans. N.Z. Inst. 29: 391, 1897.  
*Celmisia adamsii* Kirk var. *rugulosa* Cheesem. Man. N.Z. Fl. 313, 1906.  
*Celmisia brevifolia* Cockayne ex Cheesem. Man. N.Z. Fl. Ed. 2, 938, 1925.  
*Celmisia compacta* Cheesem. Man. N.Z. Fl. Ed. 2, 955, 1925.  
*Celmisia dubia* Cheesem. Man. N.Z. Fl. 308, 1906.  
*Celmisia gibbsii* Cheesem. Man. N.Z. Fl. 300, 1906.  
*Celmisia lateralis* Buch. var. *villosa* Cheesem. Man. N.Z. Fl. 302, 1906.  
*Celmisia lyallii* Hook. f. var. *pseudo-lyallii* Cheesem. Man. N.Z. Fl. 312, 1906.  
*Celmisia morgani* Cheesem. in Trans. N.Z. Inst. 46: 21, 1914.  
*Celmisia petriei* Cheesem. Man. N.Z. Fl. 311, 1906.  
*Celmisia rupestris* Cheesem. in Trans. N.Z. Inst. 16: 409, 1884.  
*Celmisia thomsoni* Cheesem. in Trans. N.Z. Inst. 48: 211, 1916.  
*Chordospartium stevensoni* Cheesem. in Trans. N.Z. Inst. 43: 175, 1911.  
*Colobanthus muelleri* T. Kirk, var. *strictus* Cheesem. Man. N.Z. Fl. 68, 1906.  
*Colobanthus squarrosus* Cheesem. in Trans. N.Z. Inst. 28: 534, 1896.  
*Coprosma areolata* Cheesem. in Trans. N.Z. Inst. 18: 315, 1886.  
*Coprosma benefica* Oliver in Bish. Mus. Bull. 132: 137, 1935.  
*Coprosma kirkii* Cheesem. in Trans. N.Z. Inst. 29: 391, 1897.  
*Coprosma laevigata* Cheesem. in Linn. Soc. Bot. Trans. 6: 283, 1903.  
*Coprosma lucida* Forst. f. var. *angustifolia* Cheesem. Man. N.Z. Fl. Ed. 2, 859, 1925.  
*Coprosma macrocarpa* Cheesem. in Trans. N.Z. Inst. 20: 147, 1888.  
*Coprosma neglecta* Cheesem. in Trans. N.Z. Inst. 44: 160, 1912.  
*Coprosma parviflora* Hook. f. var. *dumosa* Cheesem. Man. N.Z. Fl. 254, 1906.  
*Coprosma parviflora* Hook. f. var. *pilosa* Cheesem. in Trans. N.Z. Inst. 19: 242, 1887.  
*Coprosma petriei* Cheesem. in Trans. N.Z. Inst. 18: 316, 1886.  
*Coprosma rigida* Cheesem. in Trans. N.Z. Inst. 19: 243, 1887.  
*Coprosma rugosa* Cheesem. Man. N.Z. Fl. 1141, 1906.  
*Coprosma tenuicaulis* Hook. f. var. *major* Cheesem. Man. N.Z. Fl. 252, 1906.  
*Coprosma tenuifolia* Cheesem. in Trans. N.Z. Inst. 18: 315, 1886.  
*Corokia buddleoides* A. Cunn. var. *linearis* Cheesem. Man. N.Z. Fl., Ed. 2, 686, 1925.  
*Corybas macranthus* (Hook. f.) Reichb. f. var. *longipetalus* Hatch in Trans. Roy. Soc. N.Z. 76: 580, 1947.  
*Corysanthes matthewsii* Cheesem. in Trans. N.Z. Inst. 31: 351, 1899.  
*Corysanthes rotundifolia* Hook. f. var. *pandurata* Cheesem. Man. N.Z. Fl. Ed. 2, 366, 1925.  
*Cotula dioica* Hook. f. var. *rotundata* Cheesem. Man. N.Z. Fl. 359, 1906.  
*Cotula linearifolia* Cheesem. in Trans. N.Z. Inst. 15: 299, 1883.  
*Cotula willcoxii* Cheesem. in Trans. N.Z. Inst. 48: 212, 1916.  
*Cyrtandra rarotongensis* Cheesem. in Linn. Soc. Bot. Trans. 6: 290, 1903.  
*Danthonia pungens* Cheesem. Man. N.Z. Fl. 887, 1906.  
*Danthonia raoulii* Steud. var. *cheesemani* Hack. ex Cheesem. Man. N.Z. Fl. 887, 1906.  
*Deyeuxia avenoides* Buch. var. *brachyantha* Hack. ex Cheesem. Man. N.Z. Fl. 871, 1906.  
*Deyeuxia billardieri* Kunth var. *tenuis* Petrie ex Cheesem. Man. N.Z. Fl. 870, 1906.  
*Deyeuxia forsteri* Kunth var. *littoralis* Hack. ex Cheesem. Man. N.Z. Fl. 869, 1906.  
*Deyeuxia forsteri* Kunth var. *micrathera* Hack. ex Cheesem. Man. N.Z. Fl. 869, 1906.  
*Deyeuxia forsteri* Kunth var. *semiglabra* Hack. ex Cheesem. Man. N.Z. Fl. 869, 1906.  
*Dichelachne crinita* Hook. f. var. *intermedia* Hack. ex Cheesem. Man. N.Z. Fl. 874, 1906.

- Dichelachne sciurea* Hook. f. var. *inaequiglumis* Hack. ex Cheesem. Man. N.Z. Fl. 874, 1906.
- Dracophyllum pubescens* Cheesem. Man. N.Z. Fl. 426, 1906.
- Dracophyllum rosmarinifolium* R. Br. var. *politum* Cheesem. Man. N.Z. Fl. 427, 1906.
- Dracophyllum townsoni* Cheesem. Man. N.Z. Fl. 420, 1906.
- Dracophyllum uniflorum* Hook. f. var. *acicularifolium* Cheesem. Man. N.Z. Fl. 427, 1906.
- Dracophyllum uniflorum* Hook. f. var. *virgatum* Cheesem. Man. N.Z. Fl. 427, 1906.
- Dracophyllum urvilleanum* A. Rich. var. *montanum* Cheesem. Man. N.Z. Fl. 424, 1906.
- Drapetes dieffenbachii* Hook. var. *laxa* Cheesem. Man. N.Z. Fl. 616, 1906.
- Drapetes villosa* Cheesem. var. *multiflora* Cheesem. Man. N.Z. Fl. 616, 1906.
- Earina aestivalis* Cheesem. in Trans. N.Z. Inst. 51: 93, 1919.
- Elaeocarpus dentatus* Vahl var. *obovatus* Cheesem. in Trans. N.Z. Inst. 39: 442, 1907.
- Epilobium nummularifolium* R. Cunn. ex A. Cunn. var. *angustum* Cheesem. Man. N.Z. Fl. 180, 1906.
- Epilobium rostratum* Cheesem. in Trans. N.Z. Inst. 28: 534, 1896.
- Epilobium vernicosum* Cheesem. in Trans. N.Z. Inst. 28: 535, 1896.
- Fitchia speciosa* Cheesem. in Linn. Soc. Bot. Trans. 6: 284, 1903.
- Forstera sedifolia* Linn. f. var. *oculata* Cheesem. Man. N.Z. Fl. 393, 1906.
- Gaultheria rupestris* R. Br. var. *lanceolata* Cheesem. Man. N.Z. Fl. 407, 1906.
- Geniostoma ligustrifolium* A. Cunn. var. *crassum* Cheesem. in Trans. N.Z. Inst. 29: 392, 1887.
- Geniostoma ligustrifolium* A. Cunn. var. *major* Cheesem. Man. N.Z. Fl. 444, 1906.
- Gentiana filipes* Cheesem. in Trans. N.Z. Inst. 28: 536, 1896.
- Gentiana gracilifolia* Cheesem. Man. N.Z. Fl. 1144, 1906.
- Gentiana montana* Forst. var. *stolonifera* Cheesem. Man. N.Z. Fl. 451, 1906.
- Gentiana townsoni* Cheesem. Man. N.Z. Fl. 450, 1906.
- Gentiana vernicosa* Cheesem. Man. N.Z. Fl. 1145, 1906.
- Geum divergens* Cheesem. in Trans. N.Z. Inst. 48: 210, 1916.
- Habenaria amplifolia* Cheesem. in Linn. Soc. Bot. Trans. 6: 298, 1903.
- Haloragis cartilaginea* Cheesem. in Trans. N.Z. Inst. 29: 390, 1897.
- Helichrysum selago* Benth. & Hook. f. var. *acuta* Cheesem. Man. N.Z. Fl. Ed 2, 985, 1925 (missing).
- Helichrysum selago* Benth. & Hook. f. var. *tomentosum* Cheesem. Man. N.Z. Fl. 343, 1906.
- Helichrysum selago* Benth. & Hook. f. var. *tuberculata* Cheesem. Man. N.Z. Fl. Ed. 2, 985, 1925 (missing).
- Helichrysum selago* Benth. & Hook. f. var. *tumida* Cheesem. Man. N.Z. Fl., Ed. 2, 986, 1925 (missing).
- Hierochloa fraseri* Hook. f. var. *recurvata* Hack. ex Cheesem. Man. N.Z. Fl. 856, 1906.
- Homalium acuminatum* Cheesem. in Linn. Soc. Bot. Trans. 6: 280, 1903.
- Ixora bracteata* Cheesem. in Linn. Soc. Bot. Trans. 6: 283, 1903.
- Juncus pallidus* R. Br. var. *triandrus* Cheesem. Man. N.Z. Fl. 725, 1906.
- Lepidium tenuicaule* T Kirk var. *minor* Cheesem. in Trans. N.Z. Inst. 43: 175, 1911.
- Ligusticum capillifolium* Cheesem. in Trans. N.Z. Inst. 47: 45, 1915.
- Ligusticum deltoideum* Cheesem. in Trans. N.Z. Inst. 14: 299, 1882.
- Ligusticum diversifolium* Cheesem. Man. N.Z. Fl. 1139, 1906.
- Ligusticum petracum* Cheesem. in Trans. N.Z. Inst. 51: 92, 1919.
- Ioranthus adamsii* Cheesem. in Trans. N.Z. Inst. 13: 296, 1881.
- Meliclytus micranthus* Hook. f. var. *longiusculus* Cheesem. Man. N.Z. Fl. 48, 1906.
- Microlaena carsei* Cheesem. in Trans. N.Z. Inst. 47: 47, 1915.
- Myosotis amabilis* Cheesem. Man. N.Z. Fl. 468, 1906.
- Myosotis angustata* Cheesem. Man. N.Z. Fl. 465, 1906.
- Myosotis astoni* Cheesem. in Trans. N.Z. Inst. 42: 217, 1910.
- Myosotis australis* R. Br. var. *conspicua* Cheesem. Man. N.Z. Fl. 462, 1906.
- Myosotis concinna* Cheesem. in Trans. N.Z. Inst. 17: 235, 1885.
- Myosotis decora* T. Kirk ex Cheesem. Man. N.Z. Fl. 462, 1906.
- Myosotis explanata* Cheesem. Man. N.Z. Fl. 464, 1906.
- Myosotis lacta* Cheesem. in Trans. N.Z. Inst. 17: 236, 1885.
- Myosotis laingii* Cheesem. in Trans. N.Z. Inst. 44: 161, 1912.
- Myosotis macrantha* Hook. f. & Benth. var. *pulchra* Cheesem. Man. N.Z. Fl. 471, 1906.

- Myosotis monroi* Cheesem. Man. N.Z. Fl. 469, 1906.  
*Myosotis townsoni* Cheesem. Man. N.Z. Fl. 1145, 1906.  
*Myrsine kermadecensis* Cheesem. in Trans. N.Z. Inst. 24: 410, 1892.  
*Nasturtium gibbsii* Cheesem. in Trans. N.Z. 54: 565, 1923.  
*Nothopanax macintyreii* Cheesem. Man. N.Z. Fl., Ed. 2, 636, 1925.  
*Olearia insignis* Hook. f. var. *minor* Cheesem. in Trans. N.Z. Inst. 48: 210, 1916.  
*Olearia nitida* Hook. f. var. *angustifolia* Cheesem. Man. N.Z. Fl. 285, 1906.  
*Olearia pachyphylla* Cheesem. in Trans. N.Z. Inst. 42: 216, 1910.  
*Olearia suavis* Cheesem. in Trans. N.Z. Inst. 24: 409, 1892.  
*Olearia thomsoni* Cheesem. Man. N.Z. Fl. Ed. 2, 918, 1925.  
*Olearia townsoni* Cheesem. Man. N.Z. Fl. Ed. 2, 917, 1925.  
*Paratrophis (Uromorus) smithii* Cheesem. in Trans. N.Z. Inst. 20: 148, 1888.  
*Pimelea aridula* Cockayne var. *linearis* Cheesem. Man. N.Z. Fl. Ed. 2, 583, 1925 (missing).  
*Pimelea guidia* Willd. var. *pulchella* Cheesem. Man. N.Z. Fl. 609, 1906.  
*Pimelea lyallii* Hook. f. var. *sericca* Cheesem. Man. N.Z. Fl. 614, 1906 (missing).  
*Piper excelsum* Forst. var. *major* Cheesem. Man. N.Z. Fl. 595, 1906.  
*Pittosporum dallii* Cheesem. Man. N.Z. Fl. 1134, 1906.  
*Pittosporum ellipticum* T. Kirk var. *decorum* Cheesem. Man. N.Z. Fl. Ed. 2, 491, 1925.  
*Pittosporum fairchildii* Cheesem. in Trans. N.Z. Inst. 20: 147, 1888.  
*Pittosporum pimeleoides* R. Cunn. ex A. Cunn. var. *major* Cheesem. Man. N.Z. Fl. 60, 1906.  
*Plantago lanigera* Hook. f. var. *petriei* Cheesem. Man. N.Z. Fl. 572, 1906.  
*Plantago masonae* Cheesem. in Trans. N.Z. Inst. 53: 424, 1921.  
*Plectomirtha baylisiana* Oliver in Rec. Auck. Inst. Mus. 3: 225, 1948.  
*Poa anceps* Forst. var. *condensata* Cheesem. Man. N.Z. Fl. 904, 1906.  
*Poa anceps* Forst. var. *gracilis* Cheesem. Man. N.Z. Fl. 904, 1906.  
*Poa caespitosa* Forst. var. *leioclada* Hack. ex Cheesem. Man. N.Z. Fl. 908, 1906.  
*Poa kirkii* Buch. var. *collinsii* Hack. ex Cheesem. Man. N.Z. Fl. 910, 1906.  
*Pomaderris rugosa* Cheesem. in Trans. N.Z. Inst. 54: 566, 1923.  
*Pterostylis furcata* Ldl. var. *linearis* Hatch in Trans. Roy. Soc. N.Z. 77: 243, 1949.  
*Pterostylis graminea* Hook. f. var. *rubricaulis* H. B. Matthews ex Cheesem. Man. N.Z. Fl. Ed. 2, 351, 1925.  
*Pterostylis humilis* Rog. Trans. Roy. Soc. S. Austr. 46: 151, 1922.  
*Pterostylis matthewsii* Cheesem. in Trans. N.Z. Inst. 47: 46, 1915.  
*Pterostylis montana* Hatch var. *typica* Hatch in Trans. Roy. Soc. N.Z. 77: 239, 1949.  
*Pterostylis trullifolia* Hook. f. var. *alobula* Hatch in Trans. Roy. Soc. N.Z. 77: 244, 1949.  
*Pterostylis trullifolia* Hook. f. var. *gracilis* Cheesem. in Trans. N.Z. Inst. 47: 46, 1915.  
*Ranunculus hirtus* Banks & Sol. ex Forst. var. *elongatus* Cheesem. Man. N.Z. Fl. 19, 1906.  
*Ranunculus matthewsii* Cheesem. Man. N.Z. Fl. 1133, 1906.  
*Ranunculus tenuicaulis* Cheesem. in Trans. N.Z. Inst. 17: 235, 1885.  
*Raoulia gibbsii* Cheesem. in Trans. N.Z. Inst. 42: 216, 1910.  
*Schizoclema allanii* Cheesem. Man. N.Z. Fl. Ed. 2, 651, 1925.  
*Schoenus carsei* Cheesem. Man. N.Z. Fl. 781, 1906.  
*Scirpus inundatus* Poir. var. *gracillima* Cheesem. Man. N.Z. Fl. 775, 1906.  
*Scirpus inundatus* Poir. var. *major* Cheesem. Man. N.Z. Fl. 775, 1906.  
*Sclerotheca viridiflora* Cheesem. in Linn. Soc. Bot. Trans. 6: 285, 1903.  
*Senecio glaucophylla* Cheesem. in Trans. N.Z. Inst. 28: 536, 1896.  
*Senecio lapidosus* Cheesem. in Trans. N.Z. Inst. 48: 212, 1916.  
*Senecio lautus* Forst. var. *discoideus* Cheesem. Man. N.Z. Fl. 374, 1906.  
*Senecio lautus* Forst. var. *montanus* Cheesem. Man. N.Z. Fl. 373, 1906.  
*Senecio myrianthos* Cheesem. in Trans. N.Z. Inst. 7: 348, 1875 (missing).  
*Senecio pachyphyllus* Cheesem. in Trans. N.Z. Inst. 16: 410, 1884.  
*Senecio rotundifolius* Hook. f. var. *ambiguus* Cheesem. Man. N.Z. Fl. Ed. 2, 1026, 1925.  
*Senecio turneri* Cheesem. in Trans. N.Z. Inst. 43: 176, 1911.  
*Solanum aviculare* Forst. var. *albiflora* Cheesem. in Trans. N.Z. Inst. 52: 11, 1920.  
*Suttonia dentata* Oliver in Rec. Auck. Inst. Mus. 3: 230, 1948.  
*Tecomanthe speciosa* Oliver in Rec. Auck. Inst. Mus. 3: 233, 1948.  
*Teuclidium parvifolium* Hook. f. var. *luxurians* Cheesem. Man. N.Z. Fl. Ed. 2, 764, 1925.

- Thelymitra aemula* Cheesem. in Trans. N.Z. Inst. 51: 94, 1919.  
*Thelymitra decora* Cheesem. Man. N.Z. Fl. 1151, 1906.  
*Thelymitra matthewsii* Cheesem. in Trans. N.Z. Inst. 43: 177, 1911 (missing).  
*Thelymitra pachyphylla* Cheesem. Man. N.Z. Fl. 1151, 1906.  
*Townsonia deflexa* Cheesem. Man. N.Z. Fl. 692, 1906.  
*Triodia australis* Petrie var. *mucronulata* Hack ex Cheesem. Man. N.Z. Fl. 897, 1906.  
*Triodia macquariensis* Cheesem. Vasc. Fl. Macquarie Is. Austr. Antarct. Exped. Sci. Rep. Ser. C. 7 (3): 34, 1919.  
*Trisetum antarcticum* Trin. var. *lasiorhachis* Hack. ex Cheesem. Man. N.Z. Fl. 880, 1906.  
*Trithuria* (?) *inconspicua* Cheesem. Man. N.Z. Fl. 756, 1906.  
*Uncinia australis* Pers. var. *clavata* Kukenth. ex Cheesem. Man. N.Z. Fl. 802, 1906.  
*Uncinia compacta* R. Br. var. *petrici* C. B. Clarke ex Cheesem. Man. N.Z. Fl. 800, 1906.  
*Uncinia sinclairii* Boott ex Hook. f. var. *elegans* Kukenth. ex Cheesem. Man. N.Z. Fl. 799, 1906.  
*Utricularia delicatula* Cheesem. Man. N.Z. Fl. 561, 1906.  
*Utricularia mairii* Cheesem. Man. N.Z. Fl. 560, 1906.  
*Veronica adamsii* Cheesem. Man. N.Z. Fl. Ed. 2, 786, 1925.  
*Veronica amabilis* Cheesem. var. *blanda* Cheesem. Man. N.Z. Fl. 506, 1906.  
*Veronica buchanani* Hook f. var. *exigua* Cheesem. Man. N.Z. Fl. 527, 1906.  
*Veronica buchanani* Hook. f. var. *major* Cheesem. Man. N.Z. Fl. 527, 1906.  
*Veronica coarctata* Cheesem. Man. N.Z. Fl. 531, 1906.  
*Veronica cockayneana* Cheesem. Man. N.Z. Fl. 522, 1906.  
*Veronica divergens* Cheesem. Man. N.Z. Fl. 502, 1906.  
*Veronica insularis* Cheesem. in Trans. N.Z. Inst. 29: 392, 1897.  
*Veronica macrantha* Hook. f. var. *brachyphylla* Cheesem. Man. N.Z. Fl. 537, 1906.  
*Veronica macrocarpa* Vahl var. *affinis* Cheesem. Man. N.Z. Fl. 505, 1906.  
*Veronica macrocarpa* Vahl var. *crassifolia* Cheesem. Man. N.Z. Fl. 505, 1906.  
*Veronica macroura* Hook. f. ex Benth. var. *dubia* Cheesem. Man. N.Z. Fl. 501, 1906.  
*Veronica matthewsii* Cheesem. Man. N.Z. Fl. 517, 1906.  
*Veronica mensiesii* Benth. var. *divaricata* Cheesem. Man. N.Z. Fl. 512, 1906.  
*Veronica rigidula* Cheesem. Man. N.Z. Fl. 514, 1906.  
*Veronica rupicola* Cheesem. Man. N.Z. Fl. 514, 1906.  
*Veronica speciosa* R. Cunn. var. *brevifolia* Cheesem. Man. N.Z. Fl. 500, 1906.  
*Veronica thomsoni* Cheesem. var. *glabra* Cheesem. Man. N.Z. Fl. 540, 1906.  
*Veronica traversii* Hook. f. var. *elegans* Cheesem. Man. N.Z. Fl. 519, 1906.  
*Veronica traversii* Hook. f. var. *jallax* Cheesem. Man. N.Z. Fl. 519, 1906.  
*Veronica vernicosa* Hook. f. var. *gracilis* Cheesem. Man. N.Z. Fl. 520, 1906.  
*Veronica vernicosa* Hook. f. var. *multiflora* Cheesem. Man. N.Z. Fl. 520, 1906.  
*Wahlenbergia saxicola* A.D.C. var. *congesta* Cheesem. Man. N.Z. Fl. 403, 1906.